



01 Fixed Piston Pump





02 Variable
Piston Pump





## Axial Piston hydraulic Motors:

Rexroth----A2FM & A2FE & A6VM

## Radial Piston hydraulic Motors:

Rexroth----MCR03, MCR05; & SAL---GM1, GM2, GM3, GM4, GM5 Staffa----HMB & HMC & Hagglunds CA and CB

## Piston hydraulic Pump

Rexroth---- A10V(S)O & A2FO & A4VG & A7VO & A11VO Vickers---- PVB/PVH/PVQ/PV series pumps

Your reasonable supplier of Pumps & Motors



## **Axial Piston Fixed Hydraulic Motor/ Pump**



A2FM/A2FE/A2FO--61 Series Fixed Piston Hydraulic Pump/Motors were made in China, with higher quality and competitive Price, also faster delivery Time. All of the function and details mounting Dimension as the same as Original Rexroth Brand.

All of the Pump/Motor with 61 type Index..

#### 1, FINDWAY A2FE/61 Axial Bent Fixed Piston Hydraulic Motor



#### **Ordering Code for standard A2FE Size:**

Model			3	Size(N	G)		
A2FE/61 Type	45	56	63	80	90	107	125

#### **Products Application:**

The A2FE/61 series motor use for Implement Hydraulics and

**Travel Drive system of Mobile Equipment:** 

Wheeled Excavator; Mining Excavator;

Fork Lift Trucks; Harvester;

Materials Handling: Drilling Rigs;

Airport equipment and Rollers.

## Top Supplier with Cheapest Price in China

#### **Machinery reference:**













### 2. FINDWAY A2FM/61 Axial Bent Fixed Piston Hydraulic Motor



## **Ordering Code for standard A2FM Size:**

Model							Size(	NG)					
A2FM/61 Type	10	12	16	23	28	32	45	56	63	80	90	107	125

## Top Supplier with Cheapest Price in China

#### **Products Application:**

The <u>A2FM/61</u> motor use for Implement Hydraulics and Travel Drive system of Mobile Equipment: Wheeled Excavator; Mining Excavator; Telehandlers; Fork Lift Trucks; Harvester; Concrete mixers;

Materials Handling: Drilling Rigs; Mobile cranes; Airport equipment; Rollers; Crawler cranes; Crushers and screens; Aerial work platforms; Municipal vehicles ; Heavy duty vehicles;

#### **Machinery reference:**

#### **Construction Machinery:**























#### 3、FINDWAY A2FO/61 series Axial Bent Fixed Piston Hydraulic Pump



#### **Ordering Code for Standard A2FO Size:**

Model		Size(NG)											
A2FO/61 Type	10	12	16	23	28	32	45	56	63	80	90	107	125

#### Top Supplier with Cheapest Price in China

#### **Products Application:**

The <u>A2FO/61</u> pump use for Implement Hydraulics and Travel Drive System of Concrete Pumps.

#### **Products Application:**



#### Features of Rexroth A2FM /A2FE/A2FO axial bent Fixed piston

#### hydraulic motor & pump:

- 1. Bent axis design with fixed displacement
- 2. Completely interchangeable with original
- 3. For use as either pump or motor in hydrostatic drivers, in open of closed circuit
- 4. High performance rotary group with well-proven spherical control area with the advantages; self-centering low peripheral speed, high efficiency
- 5. Robust rolling bearings endure long service life
- 6. Drive shaft capable of adopting radial loading



## **Axial Piston Variable Hydraulic Motor**

#### FINDWAY A6VM/63 series Axial Variable Piston Motor

Ordering Code for Standard A6VM/63 Size:

Model				Size(N	lG)		
A6VM/63	28	55	80	107	250	355	500



## **Products Application:**

The <u>A6VM/63</u> Axial Piston Motor use for Implement Hydraulics and Travel Drive System of Mobile Equipment:

Excavators, Wheel Loaders, Backhoe Loaders, Telehandlers, Rollers, Concrete mixers, Dumpers, Combine and forage harvesters, Harvesters, Forwarders, Mobile cranes, Crawler cranes, Municipal vehicles, Airport equipment, Heavy duty vehicles and so on.

#### **Machinery reference:**















## **Axial Piston Variable Hydraulic Pump**

A10V(S)O 31/32 Series Axial Piston Variable Hydraulic Pump



Pump/Motors were made in China, with higher quality and competitive Price, also faster delivery Time. All of the function and details mounting dimention as the same as Original Rexroth Brand.

All of the Pump with 31 and 32 type Index..

#### **A10V(S)O-31(32)** Series Pump

#### CHARACTERISTIC:

- 1 Swash plate design axial variable piston pump used in open circuit.
- 2 Continuous work pressures can reach 280bar; the highest instantaneous work pressure can reach 350bar.
- 3 The flow is directly proportional to the drive rotate speed and the displacement, and can make stepless variable come true by adjusting the obliquity of the swash plate.
- 4 There are various of control type such as DR, DFR, DFLR etc. and the control response is very fast.
- 5 Low noises level, High efficiency, High reliability and long time service life.
- 6 Small volume, High power density.
- 7 Excellent oil absorbency.
- 8 Axial and radial loading of drive shaft possible
- 9 SAE and ISO mounting flange









#### 1, FINDWAY Z Open Circuit A10VO 31/32 series Axial Piston Variable Pump



#### **Ordering Code for standard A10VO Size:**

Model			Size	e(NG)	1	
A10VO/31 Type	18	28	45	71	100	140

Top Supplier with Cheapest Price in China

#### **Products Application:**

The <u>A10VO</u> Pumps use for Implement Hydraulics and Travel Drive system of Mobile Equipment: Wheeled Excavator; Mining Excavator; Compact excavators; Wheeled loaders; Backhoe loaders; Dumpers; Fork Lift Trucks; Pavers and road milling machines; Concrete pumps;

Agricultural and Forestry Machinery: Harvesters; Forwarders; Skidders

Materials Handling: Mobile cranes; Crawler cranes; Fork lift trucks; Large lift trucks and container handling; Underground and mining machines; Aerial work platforms;

On- Highway and Commercial Vehicles: Municipal vehicles; Airport equipment; Heavy duty vehicles.

#### **Construction Machinery**



**Agricultural and Forestry Machinery** 









#### **Material Handling**







**On- Highway and Commercial Vehicles** 







#### 2. FINDWAY Opened Circuit A10VSO 31/32 Axial Piston Variable Pump

#### Ordering Code for standard A10VSO Size:



Model			Size	(NG)		
A10VSO/31 Type	18	28	45	71	100	140

#### **Products Application:**

The <u>A10VSO</u> pumps use for Industrial Hydraulics and Electro-Hydraulic control Systems:
Shearing, Bending and Spinning Machine;
Tire Presses Machine; Extrusion Machine;
Nibbling Machine and Forming Machine and son...

Top Supplier with Cheapest Price in China



#### 3, FINDWAY Closed Circuit A4VG/32 series Axial Piston Variable Pump

## Ordering Code for standard A4VG/32 Pump Size:



Model	Size(NG)						110	
A4VG/32 Type	28	40	56	71	90	125	180	250

## **Products Application:**

The A4VG/32 Pumps use for Implement Hydraulics and Travel Drive system of Mobile Equipment:

Wheeled Excavator; Mining Excavator; Compact excavators; Wheeled loaders; Backhoe Loaders; Telehandlers;

Fork Lift Trucks; Harvester; Dumpers;

Materials Handling: Forwarders; Skidders; Crawler cranes; Underground and mining machines; Aerial work platforms; Municipal vehicles; Heavy duty vehicles; Airport equipment; Rollers;

**Machinery Reference** 

#### **Construction machinery**







**Agricultural and Forestry Machinery** 







**Material Handling** 









## 4、FINDWAY Opened Circuit A7VO/ 63 series Axial Piston Variable Pump



#### **Ordering Code for standard A7VO/63 Pump Size:**

Model		S	ize(N	VG)	
A7VO/63 Type	28	55	80	107	160

## **Products Application:**

The <u>A7VO/63</u> Pumps use for Implement Hydraulics And Travel Drive system of Mobile Equipment: It is a Heart of Excavators.

Wheeled Excavator; Mining Excavator; Compact excavators;

#### **Machinery Reference**













The Findway Piston Pumps/Motors have proven itself in many applications. These Units widely used for Mobile & Industrial Equipment. All of the complete units and parts are fit, form and function replacements for Rexroth components.



## **Radial Piston Hydraulic Motor**

#### 1, STAFFA HMB and HMC series Radial Piston Hydraulic Motor



Ordering Code for standard HMB/HMC Size: B80, B100, B125, B150, B200, B270, B325 C100, C125, C200, C270, C325

#### **Products Application:**

The STAFFA <u>HMB/HMC</u> series Radial hydraulic Motors use for all kinds of hydraulics transmission Systems. Such as Plastic Injection machine;

Deck machine, construction machinery, hoist, Transport Vehicle, Heavy metallurgical machinery, and son on...

## 2. HAGGLUNDS series Radial Piston Hydraulic Motor



Ordering Code for standard HMB/HMC Size: CA50, CA70, CA100, CA140, CA210 CB280, CB400, CB560, CB840, CB1120

## **Products Application:**

#### The Hagglunds CA/CB series Radial Piston hydraulic

**motors use for** requiring high torque, low speeds and variable speeds. The drive systems are used in a wide range of industries, such as Mining and materials handling, Marine and offshore, Recycling, Sugar, Pulp and paper, Rubber and plastics, and Building and construction.

#### **Machinery Reference**









#### 3, SAI GM series Piston hydraulic Motor



**Ordering Code for standard GM motor Size:** 

Model		Displacement(ml/r)							
GM05	60	75	110	130	150	170	200	e e	
GM1	100	150	175	200	250	300	320		
GM2	200	250	300	350	420	500	600		
GM3	350	425	500	600	700	800	900	1000	
GM4	400	500	600	800	900	1000	1100	1250	
GM5	525	650	800	1000	1200	1300	1450	1600	

Top Supplier with Cheapest Price in China

## **Products Application:**

The SAI **GM** series Radial hydraulic

Motors use for all kinds of hydraulics transmission

Systems. Such as Cement & Stone Crusher, Drilling, Guided Boring Machine, Material Handler, Mixers, Oil Pump, Pipes Conveyor, Power Tong, Rotary Table, Shredder, Slurry & Water Pump, Steel Mill, Windmill, Wire Tensioner, Cable Laying, Capstan, Davit, Dregging, Fish Pump, Hatch Cover, Marine Winch, Off Shore Rig, Ship Transporter, Trenching, also Mobile Machinery, Plastic injection Machinery and son on...

#### **Machinery reference:**















## 4、FINDWAY MCR Radial Piston High Torque Hydraulic Motor



#### **Ordering Code for standard MCR motor Size:**

Motor				DISPLA	CEMENT			
MCR3	160CC	225CC	255CC	280CC	325CC	365CC	400CC	1
MCR5	380CC	470CC	520CC	565CC	620CC	680CC	750CC	820CC

#### MCR03/MCR05 Application:

The MCR03/MCR05 series motor is widely used in Road building and road maintenance machinery, Earth moving equipment, Drilling and trenching equipment, Agricultural machinery, Forestry equipment, and so on.

Machinery: Roller, Soil compactor, Road Roller, Break equipment

#### MCR3A400A45Z32B2M USED FOR CATERPILLAR 226B SKID STEER LOADER



#### MCR5C820F180Z32B4V1L12F6P0SO428J USED FOR BOBCAT T190,T200 SKID STEER













#### 5. Poclain MS Radial Piston High Torque Hydraulic Motor



## Ordering Code for standard MS motor Size: MS05, MS08, MS11, MS18,MS25, MS35





#### MS08/MSE08 Application:

The MS08/MSE08 series motor is widely used in Road building and road maintenance machinery, Earth moving equipment, Drilling and trenching equipment, Agricultural machinery, Forestry equipment, and so on.

Machinery: Roller, Soil compactor, Road Roller, Break equipment

# Machinery Reference MS08-9-12A-A08-1120-DEJMO IS USED IN BELL 220A TELELOGGER AND JOHN DEERE FOREST MACHINERY



#### MS18/MSE18 Application:

The MS18/MSE18 series motor is widely used in Rod building and road maintenance machinery, Earth moving equipment, Drilling and trenching equipment, Agricultural machinery, Forestry equipment, and so on.

Machinery: Roller, Soil compactor, Road Roller, Break equipment

MS18-2-121-A18-1330-00-MR Used for the Hamm 411 Compactor



MSE18-2-A24-F19-1840-5K00 Used for Bomag Pushfiller 211 MS18-2-121-F12-1410-0000 Used for Bomag 213-d-2 Compactor





## **Hydraulic Transmission Devices**





## **Hydraulic Transmission Devices**

#### **Feature:**

- --Compact, space-saving planetary gearbox design;
- -- Modular Design;
- -- Easy installation and repair;
- --Planetary frame adopts the structure Design of arm support;
- --Double bearing support, operation Stability;
- --Low-noise running operation;
- --With or without Brake.

#### **Details Size of hydraulic transmission devices**

Number of Gear Stages	Total Displacement	Rated torque (N.m)	Speed	Total efficiency
	ml/r	20Mpa		
	575	1630		
	645	1826		
	755	2136		
2.5	830	2350	0-100	0.89-0.92
	955	2706		
	1050.5	2976		

Number of	Total Displacement	Rated torque (N.m)	Speed	Total efficiency
Gear Stages	ml/r	20Mpa		
	1215	3382		
	1450	4022		
	1570	4361		
3.0	1735	4823	0-90	0.89-0.92
	1908	5306	0-80	
	2338	6492	0-75	

Number of Gear Stages	Total Displacement	Rated torque (N.m)	Speed	Total efficiency
	ml/r	20Mpa		
4.0	2430	6860	0-80	0.91-0.92
	2975	8398		
	3450	9774		
	3960	11222		
	4356	12344	0-70	
	4801	13538		

The Gear Stages Rated can be choice: 2.5, 3.0, 4.0, 5.0, 6.0, 2.53, 34, 45, 56

The displacement range: 550---28000 ml/r The Rated Torque: 3400---63000 N.m